

Package ‘ManagedCloudProvider’

October 12, 2022

Type Package

Title Providing the Kubernetes-Like Functions for the Non-Kubernetes Cloud Service

Version 1.0.0

Description Providing the kubernetes-like class 'ManagedCloudProvider' as a child class of the 'CloudProvider' class in the 'DockerParallel' package. The class is able to manage the cloud instance made by the non-kubernetes cloud service. For creating a provider for the non-kubernetes cloud service, the developer needs to define a reference class inherited from 'ManagedCloudProvider' and define the method for the generics runDockerWorkerContainers(), getDockerWorkerStatus() and killDockerWorkerContainers(). For more information, please see the vignette in this package and <<https://CRAN.R-project.org/package=DockerParallel>>.

Imports DockerParallel(>= 1.0.3), adagio, methods, utils, jsonlite

License GPL-3

Encoding UTF-8

RoxygenNote 7.1.1

Suggests markdown, knitr, rmarkdown, testthat (>= 3.0.0), readr

VignetteBuilder knitr

URL <https://github.com/Jiefei-Wang/ManagedCloudProvider>

BugReports <https://github.com/Jiefei-Wang/ManagedCloudProvider/issues>

NeedsCompilation no

Author Jiefei Wang [aut, cre]

Maintainer Jiefei Wang <szwjf08@gmail.com>

Repository CRAN

Date/Publication 2021-06-14 07:30:18 UTC

R topics documented:

addManagedWorkerHandles	2
getDockerWorkerNumbers,ManagedCloudProvider-method	3

getDockerWorkerStatus	3
killDockerWorkerContainers	5
ManagedCloudProvider-class	5
runDockerWorkerContainers	6
setDockerWorkerNumber,ManagedCloudProvider-method	7

Index	8
--------------	----------

addManagedWorkerHandles

Add or get the worker container handles to the managed cloud provider

Description

Add or get the worker container handles to the managed cloud provider. The handles can be duplicated if multiple workers share the same container

Usage

```
addManagedWorkerHandles(provider, handles)
```

```
getManagedWorkerHandles(provider)
```

Arguments

provider	A ManagedCloudProvider object
handles	the worker container handles

Value

addManagedWorkerHandles: No return value
getManagedWorkerHandles: A character vector of the worker handles

Examples

```
## make a dummy provider
DummyProvider <- setRefClass("DummyProvider", contains = "ManagedCloudProvider")
provider <- DummyProvider()

## No worker handle in the provider
getManagedWorkerHandles(provider)

## Add worker handles
addManagedWorkerHandles(provider, c("a", "b"))
getManagedWorkerHandles(provider)

## It is possible to add the same handle
## if multiple workers share the same container
```

```
addManagedWorkerHandles(provider, c("a"))
getManagedWorkerHandles(provider)
```

getDockerWorkerNumbers,ManagedCloudProvider-method
get the worker number in the cluster

Description

The developer should define `runDockerWorkerContainers`, `getDockerWorkerStatus` and `killDockerWorkerContainers` instead.

Usage

```
## S4 method for signature 'ManagedCloudProvider'
getDockerWorkerNumbers(provider, cluster, verbose)
```

Arguments

<code>provider</code>	S4 <code>CloudProvider</code> object. The service provider.
<code>cluster</code>	S4 <code>DockerCluster</code> object.
<code>verbose</code>	Integer. The verbose level, default 1.

Value

A list with initializing and running integer elements

getDockerWorkerStatus *Get the worker status*

Description

Get the worker status. Unless you have a faster implementation, you only need to define `getDockerWorkerStatus`. The function should return a character vector with each element corresponding to a worker in `workerHandles`. Each element must be one of three possible characters "initializing", "running" or "stopped". There is no default method for `getDockerWorkerStatus`.

Usage

```

getDockerWorkerStatus(provider, cluster, workerHandles, verbose)

IsDockerWorkerInitializing(provider, cluster, workerHandles, verbose)

IsDockerWorkerRunning(provider, cluster, workerHandles, verbose)

IsDockerWorkerStopped(provider, cluster, workerHandles, verbose)

## S4 method for signature 'DummyManagedProvider'
getDockerWorkerStatus(provider, cluster, workerHandles, verbose)

## S4 method for signature 'ANY'
IsDockerWorkerInitializing(provider, cluster, workerHandles, verbose = 0L)

## S4 method for signature 'ANY'
IsDockerWorkerRunning(provider, cluster, workerHandles, verbose = 0L)

## S4 method for signature 'ANY'
IsDockerWorkerStopped(provider, cluster, workerHandles, verbose = 0L)

```

Arguments

provider	S4 CloudProvider object. The service provider.
cluster	S4 DockerCluster object.
workerHandles	Character(n). A character vector of unique instance handles.
verbose	Integer. The verbose level, default 1.

Value

`getDockerWorkerStatus` : A character vector with each element corresponding to an instance in `workerHandles`. Each element must be one of three possible characters "initializing", "running" or "stopped"

`IsDockerWorkerInitializing`, `IsDockerWorkerRunning`, `IsDockerWorkerStopped`: A logical vector with each element corresponding to the status of each instance

Functions

- `getDockerWorkerStatus, DummyManagedProvider`-method: The method for the dummy managed provider

 killDockerWorkerContainers

Kill the worker container

Description

Kill the worker container. The worker handles are unique. If multiple workers share the same instance, all workers in the same container should be killed. There is no default method for this generic.

Usage

```
killDockerWorkerContainers(provider, cluster, workerHandles, verbose)
```

```
## S4 method for signature 'DummyManagedProvider'
```

```
killDockerWorkerContainers(provider, cluster, workerHandles, verbose)
```

Arguments

provider	S4 CloudProvider object. The service provider.
cluster	S4 DockerCluster object.
workerHandles	Character(n). A character vector of unique instance handles.
verbose	Integer. The verbose level, default 1.

Value

A logical vector indicating whether the killing operation is successful for each instance

Functions

- `killDockerWorkerContainers, DummyManagedProvider-method`: The method for the dummy managed provider

 ManagedCloudProvider-class

The root class for the managed cloud provider

Description

The root class for the managed cloud provider

Fields

serverHandle Character(1), the server handle that can be recognized by the cloud provider.

workerHandles Character(n), a list object for internal use only. Please call `.getWorkerHandles(cluster)` to access the worker handles

workerPerHandle An internal counter. Please call `.getWorkerHandles(cluster)` to access the worker handles

runDockerWorkerContainers

Run the worker container

Description

Run the workers and return a character vector of the worker handles. Each handle must correspond to a container. The handle can be duplicated if multiple workers share the same container. There is no default method for this generic.

Usage

```
runDockerWorkerContainers(
  provider,
  cluster,
  container,
  hardware,
  workerNumber,
  verbose
)

## S4 method for signature 'DummyManagedProvider'
runDockerWorkerContainers(
  provider,
  cluster,
  container,
  hardware,
  workerNumber,
  verbose
)
```

Arguments

provider	S4 CloudProvider object. The service provider.
cluster	S4 DockerCluster object.
container	S4 DockerContainer Object. The worker container.
hardware	S4 DockerHardware Object. The worker hardware.
workerNumber	Integer. The number of workers needs to be run.
verbose	Integer. The verbose level, default 1.

Value

A character vector with each element corresponding to a worker container. The length must be equal to workerNumber

Functions

- runDockerWorkerContainers,DummyManagedProvider-method: The method for the dummy managed provider

setDockerWorkerNumber,ManagedCloudProvider-method
Set the worker number in the cluster

Description

The developer should define runDockerWorkerContainers, getDockerWorkerStatus and killDockerWorkerContainers instead.

Usage

```
## S4 method for signature 'ManagedCloudProvider'  
setDockerWorkerNumber(  
  provider,  
  cluster,  
  container,  
  hardware,  
  workerNumber,  
  verbose  
)
```

Arguments

provider	S4 CloudProvider object. The service provider.
cluster	S4 DockerCluster object.
container	S4 DockerContainer Object.
hardware	S4 DockerHardware Object.
workerNumber	Integer(1), the worker number to be set
verbose	Integer. The verbose level, default 1.

Value

No return value

Index

.ManagedCloudProvider
(ManagedCloudProvider-class), 5

addManagedWorkerHandles, 2

getDockerWorkerNumbers, ManagedCloudProvider-method,
3

getDockerWorkerStatus, 3

getDockerWorkerStatus, DummyManagedProvider-method
(getDockerWorkerStatus), 3

getManagedWorkerHandles
(addManagedWorkerHandles), 2

IsDockerWorkerInitializing
(getDockerWorkerStatus), 3

IsDockerWorkerInitializing, ANY-method
(getDockerWorkerStatus), 3

IsDockerWorkerRunning
(getDockerWorkerStatus), 3

IsDockerWorkerRunning, ANY-method
(getDockerWorkerStatus), 3

IsDockerWorkerStopped
(getDockerWorkerStatus), 3

IsDockerWorkerStopped, ANY-method
(getDockerWorkerStatus), 3

killDockerWorkerContainers, 5

killDockerWorkerContainers, DummyManagedProvider-method
(killDockerWorkerContainers), 5

ManagedCloudProvider-class, 5

runDockerWorkerContainers, 6

runDockerWorkerContainers, DummyManagedProvider-method
(runDockerWorkerContainers), 6

setDockerWorkerNumber, ManagedCloudProvider-method,
7