

Package ‘colorBlindness’

October 12, 2022

Type Package

Title Safe Color Set for Color Blindness

Version 0.1.9

Description Provide the safe color set for color blindness, the simulator of protanopia, deuteranopia. The color sets are collected from: Wong, B. (2011) <[doi:10.1038/nmeth.1618](https://doi.org/10.1038/nmeth.1618)>, and <<http://mkweb.bcgsc.ca/biovis2012/>>. The simulations of the appearance of the colors to color-deficient viewers were based on algorithms in Vienot, F., Brettel, H. and Mollon, J.D. (1999) <[doi:10.1002/\(SICI\)1520-6378\(199908\)24:4%3C243::AID-COL5%3E3.0.CO;2-3](https://doi.org/10.1002/(SICI)1520-6378(199908)24:4%3C243::AID-COL5%3E3.0.CO;2-3)>. The cvdPlot() function to generate 'ggplot' grobs of simulations were modified from <<https://github.com/clauswilke/colorblindr>>.

Depends R(>= 3.6)

Imports ggplot2, grDevices, methods, cowplot, colorspace, graphics, gridGraphics, gtable, grid

Suggests knitr, reshape2, stats, png, markdown, rmarkdown

biocViews Visualization

License GPL (>= 2)

Encoding UTF-8

VignetteBuilder knitr

RoxygenNote 7.1.1

NeedsCompilation no

Author Jianhong Ou [aut, cre] (<<https://orcid.org/0000-0002-8652-2488>>)

Maintainer Jianhong Ou <jianhong.ou@duke.edu>

Repository CRAN

Date/Publication 2021-04-17 04:50:05 UTC

R topics documented:

| | |
|-----------------------------------|-----------|
| availableColors | 2 |
| availablePalette | 3 |
| BLACK | 3 |
| colorNames | 4 |
| cvdPlot | 5 |
| cvdSimulator | 5 |
| displayAvailablePalette | 6 |
| displayColors | 7 |
| grobify | 7 |
| paletteMartin | 8 |
| replacePlotColor | 10 |
| setPDFopt | 11 |
| Index | 13 |

| | |
|-----------------|-------------------------|
| availableColors | <i>available colors</i> |
|-----------------|-------------------------|

Description

export available colors

Usage

```
availableColors()
```

Value

a character vector contain safe colors.

Examples

```
availableColors()
```

| | |
|------------------|--------------------------------|
| availablePalette | <i>Available color palette</i> |
|------------------|--------------------------------|

Description

List all the available color palettes.

Usage

```
availablePalette()
```

Value

a character vector contain available color palettes.

Examples

```
availablePalette()
```

| | |
|-------|--------------------|
| BLACK | <i>safe colors</i> |
|-------|--------------------|

Description

color blindness safe colors

Usage

```
BLACK
```

```
ORANGE
```

```
SKY_BLUE
```

```
BLUIISH_GREEN
```

```
YELLOW
```

```
BLUE
```

```
VERMILLION
```

```
REDDISH_PURPLE
```

```
safeColors
```

Format

An object of class character of length 1.
An object of class character of length 1.
An object of class character of length 1.
An object of class character of length 1.
An object of class character of length 1.
An object of class character of length 1.
An object of class character of length 1.
An object of class character of length 1.
An object of class character of length 8.

References

Wong, B. (2011) <doi:10.1038/nmeth.1642> Wong, B. (2011) <doi:10.1038/nmeth.1618>

Examples

```
safeColors
```

| | |
|------------|---------------------------------|
| colorNames | <i>available color variable</i> |
|------------|---------------------------------|

Description

export available color names

Usage

```
colorNames()
```

Value

a character vector contain safe colors.

Examples

```
colorNames()
```

| | |
|---------|--|
| cvdPlot | <i>Show color-deficiency simulations of a plot</i> |
|---------|--|

Description

Plot the color-deficiency simulations for ggplot grob.

Usage

```
cvdPlot(  
  plot = last_plot(),  
  layout = c("origin", "deuteranope", "protanope", "desaturate")  
)
```

Arguments

| | |
|--------|--|
| plot | The grob to be plotted. |
| layout | The sub-figure types. the choices are origin, deuteranope, protanope, desaturate, and enhanced, enhanced.deuteranope, enhanced.protanope, enhanced.desaturate. |

Details

This function is modified from <<https://github.com/clauswilke/colorblindr>>

Value

An object of ggplot.

Examples

```
cvdPlot(displayColors(safeColors))  
cvdPlot(displayColors(paletteMartin))
```

| | |
|--------------|---|
| cvdSimulator | <i>simulate color vision deficiency</i> |
|--------------|---|

Description

Transformation of R colors by simulating color vision deficiencies.

Usage

```
cvdSimulator(col, type = "deuteranope")
```

Arguments

`col` character. A vector of colors.
`type` Deficiency type, "protanope" or "deuteranope"

Details

Here use Vienot's methods but not Gustavo's methods (implemented in `colorspace::simulate_cvd`).

Value

colors.

References

Vienot, F., Brettel, H. and Mollon, J.D. (1999) <doi:10.1002/(SICI)1520-6378(199908)24:4 Sharma, G., Wu, W. and Dalal, E.N. (2005) <doi:10.1002/col.20070>

Examples

```
cvdSimulator(safeColors)
```

```
displayAvailablePalette
```

Display available palette

Description

Display all the available color palettes.

Usage

```
displayAvailablePalette(...)
```

Arguments

... parameters could be used by [geom_tile](#).

Value

an [ggplot](#) object

Examples

```
displayAvailablePalette()
```

| | |
|---------------|-----------------------|
| displayColors | <i>display colors</i> |
|---------------|-----------------------|

Description

Display the given colors

Usage

```
displayColors(col, ...)
```

```
displayAllColors(col, types = c("deutanope", "protanope", "desaturate"), ...)
```

Arguments

| | |
|-------|---|
| col | color set to display |
| ... | parameters could be used by geom_tile . |
| types | the type of color vision deficiency. |

Value

an [ggplot](#) object

Examples

```
displayColors(safeColors)
displayColors(paletteMartin)
displayAllColors(safeColors, color="white")
displayAllColors(paletteMartin, color="white")
```

| | |
|---------|-----------------------------|
| grobify | <i>convert plot to grob</i> |
|---------|-----------------------------|

Description

use `grid.grabExpr` or `plot_to_gtable` to convert plot to grob

Usage

```
grobify(plot)
```

Arguments

| | |
|------|-------|
| plot | plots |
|------|-------|

Value

grob object.

paletteMartin

Palette for color blindness

Description

The palette could be used for heatmap or pie graph

Usage

paletteMartin

Green2Magenta16Steps

Blue2DarkRed12Steps

Blue2DarkRed18Steps

Blue2OrangeRed14Steps

Blue2DarkOrange12Steps

Blue2DarkOrange18Steps

Blue2Green14Steps

Brown2Blue10Steps

Brown2Blue12Steps

Blue2Gray8Steps

Blue2Orange8Steps

Blue2Orange10Steps

Blue2Orange12Steps

ModifiedSpectralScheme11Steps

LightBlue2DarkBlue7Steps

LightBlue2DarkBlue10Steps

PairedColor12Steps

SteppedSequential5Steps

Format

An object of class character of length 15.

An object of class character of length 16.

An object of class character of length 12.

An object of class character of length 18.

An object of class character of length 14.

An object of class character of length 12.

An object of class character of length 18.

An object of class character of length 14.

An object of class character of length 10.

An object of class character of length 12.

An object of class character of length 8.

An object of class character of length 8.

An object of class character of length 10.

An object of class character of length 12.

An object of class character of length 11.

An object of class character of length 7.

An object of class character of length 10.

An object of class character of length 12.

An object of class character of length 25.

Details

The names of the palette is approximal color name.

Green2Magenta16Steps: Useful for generic diverging data.

Blue2DarkRed12/18Steps: Useful for temperature-like data, with a subjective interpretation (blue=cold, red=hot) Blue2OrangeRed14Steps: Useful as an alternative to the red/blue temperature scale.

Blue2DarkOrange12/18Steps: Useful for data without a specific subjective color association.

Blue2Green14Steps: Useful for data with a winter (blue) vs. summer (green) association.

Brown2Blue10/12Steps: Useful for data with a dry (brown) vs. wet (blue) association.

Blue2Gray8Steps: Useful in particular for diverging data like cloudiness anomalies.

Blue2Orange8/10/12Steps: Useful for data like sea-level pressure, with an subjective association (blue=low, wet, orange=high, dry)

ModifiedSpectralScheme11Steps: An alternative to the spectral scheme (no green)

LightBlue2DarkBlue7/10Steps: Useful for precipitation-like data.

PairedColor12Steps: Attempt at a categorical color scale with colors that may be distinguishable to all viewers

SteppedSequential5Steps: Useful for portraying levels-within-categories

Source

<<http://mkweb.bcgsc.ca/biovis2012/>>

References

Light A, Bartlein PJ (2004). "The End of the Rainbow? Color Schemes for Improved Data Graphics." EOS Transactions of the American Geophysical Union, 85(40), 385.

Examples

```
paletteMartin
Green2Magenta16Steps
Blue2DarkRed12Steps
Blue2DarkRed18Steps
Blue2OrangeRed14Steps
Blue2DarkOrange12Steps
Blue2DarkOrange18Steps
Blue2Green14Steps
Brown2Blue10Steps
Brown2Blue12Steps
Blue2Gray8Steps
Blue2Orange8Steps
Blue2Orange10Steps
Blue2Orange12Steps
ModifiedSpectralScheme11Steps
LightBlue2DarkBlue7Steps
LightBlue2DarkBlue10Steps
PairedColor12Steps
SteppedSequential5Steps
```

`replacePlotColor` *replace the colors for plots*

Description

replace the colors of plots to meet the requirement of publication. Replacing red with magenta or green with turquoise. Replacing all the colored symbols in the legend.

Usage

```
replacePlotColor(plot)
```

Arguments

`plot` The grob to be plotted.

Value

an object of gtable.

Examples

```
replacePlotColor(displayColors(c("Red", "Green", "blue")))
```

 setPDFopt

Auxiliary function to set width of pdf for journals

Description

Set the pdf width and height for journals.

Pre-sets of width for figures.

Usage

```
setPDFopt(
  width = c("1col", "1.5col", "0.5col", "2col"),
  presets = PRESETS$science
)
```

PRESETS

Arguments

width columns.

presets The pre-setting of width,height,family,font for pdf. Available choices: 0.5col, 1col, 1.5col, 2col.

Format

An object of class list of length 4.

Details

The family will be Helvetica. The font will be 8. The width and height will be same.

science: 0.5col=1.78 inches (4.52 cm.); 1col=3.54 inches (9 cm.); 1.5col=5 inches (12.7 cm.); 2col=7.25 inches (18.4 cm.). nature: 0.5col=2.28 inches (5.8 cm.); 1col=3.39 inches (8.6 cm.); 1.5col=4.76 inches (12.1 cm.); 2col=7 inches (17.8 cm.). cell: 0.5col=1.78 inches (4.52 cm.); 1col=3.35 inches (8.5 cm.); 1.5col=4.49 inches (11.4 cm.); 2col=6.85 inches (17.4 cm.). CA: A Cancer Journal for Clinicians 0.5col=1.62 inches (4.1 cm.); 1col=3.25 inches (8.25 cm.); 1.5col=3.87 inches (9.8 cm.); 2col=6.75 inches (17.1 cm.).

Value

A named list of all the defaults. If any arguments are supplied the return values are the old values and the result has the visibility flag turned off.

References

<http://www.sciencemag.org/sites/default/files/Figure_prep_guide.pdf>

<<https://images.nature.com/full/nature-assets/aj/artworkguidelines.pdf>>

Examples

```
op <- setPDFopt("1col")
```

Index

* datasets

- BLACK, 3
- paletteMartin, 8
- setPDFopt, 11

availableColors, 2

availablePalette, 3

BLACK, 3

BLUE (BLACK), 3

Blue2DarkOrange12Steps (paletteMartin), 8

Blue2DarkOrange18Steps (paletteMartin), 8

Blue2DarkRed12Steps (paletteMartin), 8

Blue2DarkRed18Steps (paletteMartin), 8

Blue2Gray8Steps (paletteMartin), 8

Blue2Green14Steps (paletteMartin), 8

Blue2Orange10Steps (paletteMartin), 8

Blue2Orange12Steps (paletteMartin), 8

Blue2Orange8Steps (paletteMartin), 8

Blue2OrangeRed14Steps (paletteMartin), 8

BLUISH_GREEN (BLACK), 3

Brown2Blue10Steps (paletteMartin), 8

Brown2Blue12Steps (paletteMartin), 8

colorNames, 4

cvdPlot, 5

cvdSimulator, 5

displayAllColors (displayColors), 7

displayAvailablePalette, 6

displayColors, 7

geom_tile, 6, 7

ggplot, 6, 7

Green2Magenta16Steps (paletteMartin), 8

grobify, 7

LightBlue2DarkBlue10Steps (paletteMartin), 8

LightBlue2DarkBlue7Steps (paletteMartin), 8

ModifiedSpectralScheme11Steps (paletteMartin), 8

ORANGE (BLACK), 3

PairedColor12Steps (paletteMartin), 8

paletteMartin, 8

PRESETS (setPDFopt), 11

REDDISH_PURPLE (BLACK), 3

replacePlotColor, 10

safeColors (BLACK), 3

setPDFopt, 11

SKY_BLUE (BLACK), 3

SteppedSequential5Steps (paletteMartin), 8

VERMILLION (BLACK), 3

YELLOW (BLACK), 3